

ARIGNAR ANNA GOVERNMENT ARTS AND SCIENCE COLLEGE

KARAIKAL – 609605



WEB TECHNOLOGY LAB - Record

2020-21

V-Semester

Name : _____

Reg. No. : _____

DEPARTMENT OF COMPUTER SCIENCE

AAGASC - KARAIKAL

**ARIGNAR ANNA GOVERNMENT ARTS AND
SCIENCE COLLEGE, KARAIKAL-609605**



DEPARTMENT OF COMPUTER SCIENCE

Certified that this is the bonafide record of practical work
done by Mr. / Miss
Reg. No. of Third Year B.Sc. Computer Science
during the III-Semester in the academic year 2020-2021.

STAFF IN CHARGE

HEAD OF THE DEPARTMENT

Submitted for the University Examination held on

EXTERNAL EXAMINER

INTERNAL EXAMINER

TABLE OF CONTENTS

Sl. No.	Date	Name of Experiment	Page No.	Signature
1		Design Online Application (HTML)		
2		Design Online Questioner (HTML)		
3		Mark List using JavaScript		
4		Multiplication Table using JavaScript		
5		Installation of JDK and Net Bean IDE		
6		Installation of XAMPP Server		
7		Vertical Navigation Menu Bar		
8		Display Current Date using JavaScript		
9		Convert the image to greyscale		

Ex. No. : 1 Design Online Application (HTML)

Aim : Write a HTML code to design online application

```
<html>
<head>
<title>UG-Application</title>
</head>
<body>
<h2 align="center"> Arignar Anna Govt. Arts and Science College, Karaikal </h2>
<h3 align="center">Online Application </h3>
<form>
<table width="900" border="0">
  <tr>
    <td width="300">Name</td>
    <td width="650"><input name="t1" type="text" id="t1"></td>
  </tr>
  <tr>
    <td>Father</td>
    <td><input name="t2" type="text" id="t2"></td>
  </tr>
  <tr>
    <td>Address</td>
    <td><textarea name="t3" id="t3"></textarea></td>
  </tr>
  <tr>
    <td>Phone/Mobile</td>
    <td><input name="t4" type="text" id="t4"></td>
  </tr>
  <tr>
    <td>Aadhar Number </td>
    <td><input name="t5" type="text" id="t5"></td>
  </tr>
  <tr>
    <td>DOB</td>
    <td><input name="t6" type="text" id="t6"></td>
  </tr>
  <tr>
    <td>Nationality</td>
    <td><input name="t7" type="text" id="t7"></td>
  </tr>
  <tr>
    <td>Residance</td>
    <td><select name="select">
      <option selected>Yes</option>
      <option>No</option>
    </td>
  </tr>
</table>
</form>
</body>
</html>
```

```

</select></td>
</tr>
<tr>
<td>Caste</td>
<td><select name="select">
<option value="OBC">OBC</option >
<option value="MBC">MBC</option>
<option value="EBC">EBC</option>
<option value="SCM">SCM</option>
<option value="SCO">SCO</option>
<option value="BCM">BCM</option>
<option value="ST">ST</option>
<option value="BT">BT</option>
<option value="GEN">GEN</option>
</select></td>
</tr>
<tr>
<td>Gender</td>
<td><select name='t4'>
<option value="M">MALE</option>
<option selected value="F">FEMALE</option>
<option value="I">I</option>
</select></td>
</tr>
<tr>
<td>&nbsp;</td>
<td><div align="center">Marks</div></td>
</tr>
<tr>
<td>Language(Tamil)</td>
<td><input name="t8" type="text" id="t8" size="5"></td>
</tr>
<tr>
<td>English</td>
<td><input name="t9" type="text" id="t9" size="5"></td>
</tr>
<tr>
<td>Sub3</td>
<td><input name="t10" type="text" id="t10" size="5"></td>
</tr>
<tr>
<td>Sub4</td>
<td><input name="t11" type="text" id="t11" size="5"></td>
</tr>
<tr>
<td>Sub5</td>

```

```
<td><input name="t12" type="text" id="t12" size="5"></td>
</tr>
<tr>
<td>Sub6</td>
<td><input name="t13" type="text" id="t13" size="5"></td>
</tr>
<tr>
<td>Total</td>
<td><input name="t14" type="text" id="t14" size="8"></td>
</tr>
<tr>
<td>Average</td>
<td><input name="t15" type="text" id="t15" size="8"></td>
</tr>
<tr>
<td>&nbsp;</td>
<td><input type="submit" value="Submit">
<input type="reset" value="reset"></td>
</tr>
</table>
<p>&nbsp;</p>
</form>
</body>
</html>
```

OUTPUT:

Arignar Anna Govt. Arts and Science College, Karaikal

Online Application

Name	<input type="text"/>
Father	<input type="text"/>
Address	<input type="text"/>
Phone/Mobile	<input type="text"/>
Aadhar Number	<input type="text"/>
DOB	<input type="text"/>
Nationality	<input type="text"/>
Residance	Yes <input type="button" value="v"/>
Caste	OBC <input type="button" value="v"/>
Gender	FEMALE <input type="button" value="v"/>
Language(Tamil)	<input type="text"/>
English	<input type="text"/>
Sub3	<input type="text"/>
Sub4	<input type="text"/>
Sub5	<input type="text"/>
Sub6	<input type="text"/>
Total	<input type="text"/>
Average	<input type="text"/>
	<input type="button" value="Submit"/> <input type="button" value="reset"/>

Marks

Ex. No. : 2 Design Online Questioner (HTML)

Aim : Write a HTML code to design quiz

```
<p align="center"><strong>Computer Quiz</strong></p>
```

```
<form>
```

```
<p>
```

1. A _____ is used to point at things on the monitor


```
<input type="radio" name="c1" value="1"> a. CPU<br>
```

```
<input type="radio" name="c1" value="2"> b. Mouse<br>
```

```
<input type="radio" name="c1" value="3"> c. PRINTER<br>
```

```
<input type="radio" name="c1" value="4"> d. SPEAKER;
```

```
</p>
```

```
<p>
```

2. How do you initialize an array in C?


```
<input type="radio" name="c2" value="1"> a. int arr[3] = (1,2,3);<br>
```

```
<input type="radio" name="c2" value="2"> b. int arr(3) = {1,2,3};<br>
```

```
<input type="radio" name="c2" value="3"> c. int arr[3] = {1,2,3};<br>
```

```
<input type="radio" name="c2" value="4"> d. int arr(3) = (1,2,3);<br>
```

```
</p>
```

```
<p>
```

3. To access the services of operating system, the interface is provided by the _____


```
<input type="radio" name="c3" value="1"> a. System calls<br>
```

```
<input type="radio" name="c3" value="2"> b. API<br>
```

```
<input type="radio" name="c3" value="3"> c. Library<br>
```

```
<input type="radio" name="c3" value="4"> d. Assembly instructions
```

```
</p>
```

```
<p>
```


4. In Operating Systems, which of the following is/are CPU scheduling algorithms?

<input type="radio" name="c4" value="1"> a. Round Robin

<input type="radio" name="c4" value="2"> b. Shortest Job First

<input type="radio" name="c4" value="3"> c. Priority

<input type="radio" name="c4" value="4"> d. All of the mentioned

</p>

<p>

5. Which one of the following models is not suitable for accommodating any change?

<input type="radio" name="c5" value="1"> a. Build & Fix Model

<input type="radio" name="c5" value="2"> b. Prototyping Model

<input type="radio" name="c5" value="3"> c. RAD Model

<input type="radio" name="c5" value="4"> d. Waterfall Model

<p>

<input type="submit">

</form>

Output

Computer Quiz

1. A _____ is used to point at things on the monitor
 - a. CPU
 - b. Mouse
 - c. PRINTER
 - d. SPEAKER;
2. How do you initialize an array in C?
 - a. `int arr[3] = (1,2,3);`
 - b. `int arr(3) = {1,2,3};`
 - c. `int arr[3] = {1,2,3};`
 - d. `int arr(3) = (1,2,3);`
3. To access the services of operating system, the interface is provided by the _____
 - a. System calls
 - b. API
 - c. Library
 - d. Assembly instructions
4. In Operating Systems, which of the following is/are CPU scheduling algorithms?
 - a. Round Robin
 - b. Shortest Job First
 - c. Priority
 - d. All of the mentioned
5. Which one of the following models is not suitable for accommodating any change?
 - a. Build & Fix Model
 - b. Prototyping Model
 - c. RAD Model
 - d. Waterfall Model

Ex. No. : 3 Mark List

Aim : Write a HTML with Java Script code to calculate total and average of 3 subject marks.

Program

```
<html>
<head>
<title>Mark List</title>
<script>
function calc()
{
var m1,m2,m3,tot,avg;
m1=parseFloat(document.frm.m1.value);
m2=parseFloat(document.frm.m2.value);
m3=parseFloat(document.frm.m3.value);
tot=m1+m2+m3;
avg=tot/3;
document.frm.tot.value=tot;
document.frm.avg.value=avg;
}
</script>
</head>
<body>
<form name="frm">
<h2>Mark List</h2>
Mark1<input type="text" name="m1"><br>
Mark2<input type="text" name="m2"><br>
Mark3<input type="text" name="m3"><br>
<input type="button" value="ok" onClick="calc()"><br>
Total<input type="text" name="tot"><br>
Average<input type="text" name="avg"><br>
</form>
</body>
</html>
```

Output

Mark List

Mark1 90

Mark2 85

Mark3 64

ok

Total 239

Average 79.66666666666667

Ex. No. : 4 Multiplication Table

Aim : Write a HTML with Java Script code to display Multiplication table

Program

```
<html>
<head>
<title>Multiplication Table</title>
<script>
function table()
{
var n,i;
n=parseInt(document.frm.n.value);
document.write("Table : "+n+"<br><br>");
for(i=1;i<=20;i++)
{
document.write(i+" x "+n+" = "+(i*n)+"<br>");
}
}
</script>
</head>
<body>
<form name="frm">
<h2>Multiplication Table</h2>
Table No.<input type="text" name="n"><br>
<input type="button" value="ok" onClick="table()"><br>
</form>
</body>
</html>
```

Multiplication Table

Table No.

Table : 9

$$1 \times 9 = 9$$

$$2 \times 9 = 18$$

$$3 \times 9 = 27$$

$$4 \times 9 = 36$$

$$5 \times 9 = 45$$

$$6 \times 9 = 54$$

$$7 \times 9 = 63$$

$$8 \times 9 = 72$$

$$9 \times 9 = 81$$

$$10 \times 9 = 90$$

$$11 \times 9 = 99$$

$$12 \times 9 = 108$$

$$13 \times 9 = 117$$

$$14 \times 9 = 126$$

$$15 \times 9 = 135$$

$$16 \times 9 = 144$$

$$17 \times 9 = 153$$

$$18 \times 9 = 162$$

$$19 \times 9 = 171$$

$$20 \times 9 = 180$$

Ex. No. : 5 Installation of JDK and Net Bean IDE

Aim : Write installation steps for JDK and Net Bean IDE and explain how to create new web application using web application server.

Procedure:

Step 0: Install JDK

To use NetBeans for Java programming, we need to first install Java Development Kit (JDK). See "JDK - How to Install".

Download JDK 8.0 from the following link and install it

<https://www.oracle.com/in/java/technologies/javase/javase-jdk8-downloads.html>

Windows x86	154.69 MB	 jdk-8u281-windows-i586.exe
Windows x64	166.97 MB	 jdk-8u281-windows-x64.exe

x86 for the 32 bit windows, x64 for the 64 bit Operating system

The new Oracle Technology Network License Agreement for Oracle Java SE is substantially different from prior Oracle JDK licenses. The new license permits certain uses, such as personal use and development use, at no cost.

Commercial license and support is available with a low cost Java SE Subscription.

Step 1: Download

Download "NetBeans IDE 11.3" installer from

netbeans-8.2-windows.exe (32 / 64 Bit Installer)


<https://netbeans-ide.informer.com/download/#downloading>

here are many "bundles" available.

Step 2: Run the Installer

Run the downloaded installer.


2.1 Choose customize installation



Step 3 : Open Netbean IDE, Choose new project, Java Web Application

Step 4 : Select Web Pages

Index.jsp is the home page of the new web application



Step 5 : Shift F6 to run the index.jsp file

Ex. No. : 6 Installation of XAMPP Server

Aim : Write installation steps of XAMPP web application server.

Procedure:

Step 0:

Using the installer:

The XAMPP control panel for start/stop Apache, MySQL, FileZilla & Mercury or install these server as services.

Installing from ZIP

Unzip the zip archives into the folder of your choice. XAMPP is extracting to the subdirectory "C:\xampp" below the selected target directory. Now start the file "setup_xampp.bat", to adjust the XAMPP configuration to your system.

If you choose a root directory "C:\" as target, you must not start "setup_xampp.bat".

Step 1: Start xampp control panel

You can also use some batchfiles to start/stop the servers:

Apache & MySQL start: \xampp\xampp_start.exe

Apache & MySQL stop: \xampp\xampp_stop.exe

Like with the installer version, you can now use the "XAMPP Control Panel" for additional tasks.

Step 2: Test the server home page that is localhost using browser

<http://localhost/>



Ex. No. : 7 Vertical Navigation Menu Bar

```
<html>
<head>
<style>
ul {
  list-style-type: none;
  margin: 0;
  padding: 0;
  width: 200px;
  background-color: #f1f1f1;
}


li a {
  display: block;
  color: black;
  padding: 8px 16px;
  text-decoration: none;
}

/* Change the link color on hover */

li a:hover {
  background-color: blue;
  color: white;
}
</style>
</head>

<body>
<h2>Vertical Navigation Menu Bar</h2>
<ul>
  <li><a href="#home">Home</a></li>
  <li><a href="#news">News</a></li>
  <li><a href="#contact">Contact</a></li>
  <li><a href="#about">About</a></li>
</ul>
</body>
</html>
```

OUTPUT :



Ex. No. : 8 Display Current Date using JavaScript

```
<html>
<body>
<h2>Display Current Date using JavaScript </h2>
<p id="demo"></p>
<script>
    var today = new Date();
    var dd = today.getDate();
    var mm = today.getMonth()+1;
    var yyyy = today.getFullYear();
    if(dd<10)
    {
        dd='0'+dd;
    }
    if(mm<10)
    {
        mm='0'+mm;
    }
    today = dd+'/'+mm+'/'+yyyy;
    document.getElementById("demo").innerHTML = today;
</script>
</body>
</html>
```

OUTPUT :

Display Current Date using JavaScript

16/03/2021

Ex. No. : 9 Convert the image to greyscale

```
<!DOCTYPE html>
<html>
<head>
<style>
img {
    filter: grayscale(100%);
}
</style>
</head>
<body>

<p>Convert the image to grayscale:</p>


</body>
</html>
```

OUTPUT :

Convert the image to grayscale:

